True North Analytical
2656 Patton Road
Roseville, MN 55113

(612) 497-9626
https://truenorthanalytical.com
Lic# TF-L25-000014-02-TST

Item Name: Gorilla Glue 4 (Whole Buds)

METRC Sample: 1A4140300002199000000735; METRC Batch: 1A4140300003C2A000000590; METRC Manifest #: 0000443508

Reanalysis
Remediated Sample


Sample ID: 2610TNA0580.2020
Strain: Gorilla Glue 4
Matrix: Plant
Type: Flower - Cured
Sample Size: 45.42 g; Batch:

Produced: 08/25/2026
Collected:
Received: 10/22/2026
Completed: 11/05/2026
Batch#:

Client
Dizgo Collective
Lic. # MICRO-L25-000366-01-AUC
1512 30th St NW
Faribault, MN 55021

Microbials

Pass



Analyte	Limit	Measurement Uncertainty	Result	Status
	CFU/g		CFU/g	
Aerobic Bacteria	100000	7.60	Not Detected	Pass
Aspergillus SPP	0		Not Detected	Pass
Enterobacteriaceae	1000	4.10	Not Detected	Pass
Salmonella	0		Not Detected	Pass
Shiga Toxin E. Coli	0		Not Detected	Pass
Yeast & Mold	100000	7.40	Not Detected	Pass

Date Prepared: 10/22/2026, Date Tested: 11/02/2026
Aspergillus spp. includes Aspergillus niger, Aspergillus flavus, Aspergillus fumigatus, Aspergillus terreus. Procedures followed SOP-0166, SOP-0167, SOP-0168, and SOP-0175. Measurement of Uncertainty is a percentage of the reported value.
Analyst: TAYLOR THOMPSON
Analytical Batch ID: NPL-110226-E, SSAF-110326-A, PCR-110326-B, NP-110426-A, PCR-110426-A
Nonpath Plating Weight (g): 9.99g, Aspergillus, Salmonella, and STEC Weight (g): 9.8g, Nonpath PCR Weight (g): 9.71g,

Aspergillus spp. includes Aspergillus niger, Aspergillus flavus, Aspergillus fumigatus, Aspergillus terreus. Procedures followed SOP-0166, SOP-0167, SOP-0168, and SOP-0175. Measurement of Uncertainty is a percentage of the reported value.

Zachary Remillard
Director of Chemistry
11/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

This report has been prepared by True North Analytical (TNA) in accordance with the most recent requirements of ISO/IEC 17025:2017, Minnesota Statues 2024 Chapter 342 and 9810, and Minnesota Office of Cannabis Management (OCM) Cannabis Technical Authority (CTA). The measurements referenced herein were performed in accordance with valid methods and quality management system as required by Minnesota State Law. Measurement uncertainty estimates were agreed upon by all parties during review of requests, tenders, and contract procedure, and are available upon request. The decision rule was not applied to the given pass/fail tolerance limits that are specified by OCM CTA policies. This report shall not be reproduced except in full, without the written consent of TNA. The results relate solely to the item(s) tested as received and are valid only under the conditions in which the testing was performed. No conclusions should be drawn regarding any other items, lots, or conditions not specifically included in this report. This Certificate shall not be reproduced except in full, without the written approval of TNA. TNA did not perform the sampling for the items tested; Customers are fully responsible for adhering to CTA Sampling requirements. Not all potential/existing hazards were tested.